

STATICTEC

FOR BASIC ESD MATERIALS AND MORE



ESD WORK WEAR CATALOGUE



The Next Generation of ESD Clothing

Step into a new era of protection, comfort, and style with StaticTec, the brand redefining what professional ESD workwear can be. Designed for environments where precision matters, StaticTec offers a complete collection of high-quality garments including lab coats, T-shirts, polo shirts, sweaters, vests, and more; All engineered to control static and made to last.

Available in a wide range of modern, professional colours, our clothing is crafted to support both safety and team identity. Whether you're outfitting a warehouse, production line, or technical workspace, StaticTec delivers the perfect balance of durability, performance, and comfort.

Ready to order? Check our webshop anytime to view live stock availability and explore the full StaticTec collection.

You can have your own company logo on the clothing of your choice, embroidered or printed, in the colors of your choice.

Send us your logo image file in .AI or .EPS, so that we can prepare a sample for your approval, before final manufacture.

your own company logo?



24€+ddv

96% Cotton, 4% conductive fibers

Weight: 150 g/m2

Wrinkle-free treatment


U-shaped neck

ESD symbol on left arm

Female sizes: XS - XL (others on request)

Custom logos and staff names on request

Size	Light Blue	Black	Pink
XS	STC22122221	STC22130301	STC22160601
S	STC22122222	STC22130302	STC22160602
M	STC22122223	STC22130303	STC22160603
L	STC22122224	STC22130304	STC22160604
XL	STC22122225	STC22130305	STC22160605



Resistivity point-point (Rp): $10^6 - 10^7$ Ohms
Decay time: < 2 seconds
Conforms to current ESD Standards;
IEC61340-5-1 & ANSI/ESD S20.20

Size	A	B	C	D	E
XS	34	42	42	19	62
S	37	45	45	19	63
M	39	48	48	19	64
L	41	51	51	20	65
XL	44	54	54	21	66

The electrical properties are retained, even after 50 industrial washes.

- Wash at maximum 40°C
- Ironing at maximum 110°C
- Do not bleach
- Do not dry clean
- Do not tumble dry
- Do not use fabric softeners

ESD T-shirts

ESD Polo Shirts



22€+ddv

96% Cotton, 4% conductive fibers

Weight: 150 g/m²

Wrinkle-free treatment

Round collar

ESD symbol on left arm

Unisex sizes: S - 3 XL (others on request)

Custom logos and staff names on request

Size	Grey	Navy Blue	Black	Royal Blue
S	STC20110102	STC20125252	STC20130302	STC20120202
M	STC20110103	STC20125253	STC20130303	STC20120203
L	STC20110104	STC20125254	STC20130304	STC20120204
XL	STC20110105	STC20125255	STC20130305	STC20120205
2XL	STC20110106	STC20125256	STC20130306	STC20120206
3XL	STC20110107	STC20125257	STC20130307	STC20120207

25€+ddv

48% Polyester, 48% cotton and 4% conductive fiber

Weight: 180g/m²

Wrinkle-free treatment


Hidden fastening on the collar with metal snap-fasteners

ESD symbol on left arm

Unisex sizes: S - 3XL (others on request)

Custom logos and staff names on request

Size	Black	Grey	Navy Blue	Royal Blue
S	STC30130302	STC30110102	STC30125252	STC30120202
M	STC30130303	STC30110103	STC30125253	STC30120203
L	STC30130304	STC30110104	STC30125254	STC30120204
XL	STC30130305	STC30110105	STC30125255	STC30120205
2XL	STC30130306	STC30110106	STC30125256	STC30120206
3XL	STC30130307	STC30110107	STC30125257	STC30120207




Resistivity point-point (Rp): 10⁶- 10⁷Ohms
Decay time: < 2 seconds
Conforms to current ESD Standards;
IEC61340-5-1 & ANSI/ESD S20.20

Size	A	B	C	D	E
S	44	47	47	20	67
M	46	50	50	21	69
L	48	53	53	21	71
XL	51	56	56	21	73
2XL	53	59	59	21	75
3XL	55	62	62	21	76

The electrical properties are retained, even after 50 industrial washes.

- Wash at maximum 40°C
- Ironing at maximum 110°C
- Do not bleach
- Do not dry clean
- Do not tumble dry
- Do not use fabric softeners



Resistivity point-point (Rp): 10⁶- 10⁷Ohms
Decay time: < 2 seconds
Conforms to current ESD Standards;
IEC61340-5-1 & ANSI/ESD S20.20

Size	A	B	C	D	E
S	44	53	53	21	67
M	45	56	56	21	69
L	49	59	59	22	71
XL	51	62	62	22	73
2XL	52	65	65	23	75
3XL	58	68	68	23	77

The electrical properties are retained, even after 50 industrial washes.

- Wash at maximum 40°C
- Ironing at maximum 110°C
- Do not bleach
- Do not dry clean
- Do not tumble dry
- Do not use fabric softeners

ESD Lab Coats 1/2 Length

ESD Lab Coats 3/4 Length



27,5€+ddv

64% polyester, 32% cotton and 4% conductive fiber

Weight: 135g/m2

Static dissipative carbon loaded yarn in 4mm grid

Hidden fastening with metal snap-fasteners on front and cuffs

ESD symbol on left chest pocket

Unisex sizes: XS - 3XL (others on request)

Custom logos and staff names on request

Size	Black	White	Grey	Light Blue
XS	STC11230301	STC11240401	STC11210101	STC11222221
S	STC11230302	STC11240402	STC11210102	STC11222222
M	STC11230303	STC11240403	STC11210103	STC11222223
L	STC11230304	STC11240404	STC11210104	STC11222224
XL	STC11230305	STC11240405	STC11210105	STC11222225
2XL	STC11230306	STC11240406	STC11210106	STC11222226
3XL	STC11230307	STC11240407	STC11210107	STC11222227

29,9€+ddv

64% polyester, 32% cotton and 4% conductive fiber

Weight: 135g/m2

Static dissipative carbon loaded yarn in 4mm grid


Hidden fastening with metal snap-fasteners on front and cuffs

ESD symbol on left chest pocket

Unisex sizes: XS - 3XL (others on request)

Custom logos and staff names on request

Size	Light Blue	White	Grey	Black
XS	STC12222221	STC12240401	STC12210101	STC12230301
S	STC12222222	STC12240402	STC12210102	STC12230302
M	STC12222223	STC12240403	STC12210103	STC12230303
L	STC12222224	STC12240404	STC12210104	STC12230304
XL	STC12222225	STC12240405	STC12210105	STC12230305
2XL	STC12222226	STC12240406	STC12210106	STC12230306
3XL	STC12222227	STC12240407	STC12210107	STC12230307




Resistivity point-point (Rp): $10^6 - 10^7$ Ohms
Decay time: < 2 seconds
Conforms to current ESD Standards;
IEC61340-5-1 & ANSI/ESD S20.20

Size	A	B	C	D	E
XS	48	54	56	54	80
S	50	56	58	57	82
M	52	58	60	59	84
L	54	60	62	61	86
XL	56	62	64	63	88
2XL	58	64	66	65	90
3XL	60	66	68	67	92

The electrical properties are retained, even after 50 industrial washes.

- Wash at maximum 60°C
- Ironing at maximum 110°C
- Do not bleach
- Do not dry clean
- Do not tumble dry
- Do not use fabric softeners



Resistivity point-point (Rp): $10^6 - 10^7$ Ohms
Decay time: < 2 seconds
Conforms to current ESD Standards;
IEC61340-5-1 & ANSI/ESD S20.20

Size	A	B	C	D	E
XS	47	53	53	52	100
S	48	55	55	53	102
M	50	57	57	57	104
L	52	58	60	59	106
XL	54	60	61	61	107
2XL	56	63	63	63	108
3XL	58	64	65	65	110

The electrical properties are retained, even after 50 industrial washes.

- Wash at maximum 60°C
- Ironing at maximum 110°C
- Do not bleach
- Do not dry clean
- Do not tumble dry
- Do not use fabric softeners

ESD Sweaters



45€+ddv

45% Polyester; 45% cotton, 10% conductive fibers

Weight: 300 g/m2

Wrinkle-free treatment


Long sleeves with ESD elastic cuffs and round neck

ESD symbol on left arm

Unisex sizes: S -3XL (others on request)

Custom logos and staff names on request

Size	Black	Grey
S	STC40230302	STC40210102
M	STC40230303	STC40210103
L	STC40230304	STC40210104
XL	STC40230305	STC40210105
2XL	STC40230306	STC40210106
3XL	STC40230307	STC40210107



Resistivity point-point (Rp): $10^6 - 10^7$ Ohms
Decay time: < 2 seconds
Conforms to current ESD Standards;
IEC61340-5-1 & ANSI/ESD S20.20

Size	A	B	C	D	E
S	47	49	49	59	64
M	48	52	52	60	65
L	50	54	54	61	67
XL	51	57	57	62	68
2XL	53	59	59	63	70
3XL	54	62	62	64	71

The electrical properties are retained, even after 50 industrial washes.

- Wash at maximum 40°C
- Ironing at maximum 110°C
- Do not bleach
- Do not dry clean
- Do not tumble dry
- Do not use fabric softeners

ESD Tec-Fabric Vests



55€+ddv

75% Rayon/cotton; 15% polyester

6% spandex, 4% conductive fibers

Weight: 400 g/m2

Wrinkle-free treatment


Closure and 2-side pockets with zipper

ESD-sign at left front side

Unisex sizes: S -3XL (others on request)

Custom logos and staff names on request

Size	Navy Blue	Black
S	STC50225252	STC50230302
M	STC50225253	STC50230303
L	STC50225254	STC50230304
XL	STC50225255	STC50230305
2XL	STC50225256	STC50230306
3XL	STC50225257	STC50230307



Resistivity point-point (Rp): $10^6 - 10^7$ Ohms
Decay time: < 2 seconds
Conforms to current ESD Standards;
IEC61340-5-1 & ANSI/ESD S20.20

Size	A	B	C	D	E
S	48	52	52	63	68
M	50	55	55	64	70
L	51	57	57	65	71
XL	53	59	59	66	73
2XL	54	63	63	67	74
3XL	56	67	67	68	76

The electrical properties are retained, even after 50 industrial washes.

- Wash at maximum 40°C
- Ironing at maximum 110°C
- Do not bleach
- Do not dry clean
- Do not tumble dry
- Do not use fabric softeners

ESD Fleece Jackets



49€+ddv

88% Polyester and 12% conductive fiber

Weight: 300g/m²


Closure and 2-side pockets with zipper

ESD-sign at left front side

Unisex sizes: S - 3XL (others on request)

Custom logos and staff names on request

Size	Navy Blue	Grey
S	STC60225252	STC60210102
M	STC60225253	STC60210103
L	STC60225254	STC60210104
XL	STC60225255	STC60210105
2XL	STC60225256	STC60210106
3XL	STC60225257	STC60210107



Resistivity point-point (Rp): 10⁶- 10⁷Ohms
Decay time: < 2 seconds
Conforms to current ESD Standards;
IEC61340-5-1 & ANSI/ESD S20.20

Size	A	B	C	D	E
S	48	52	52	63	68
M	50	55	55	64	70
L	51	57	57	65	71
XL	53	59	59	66	73
2XL	54	63	63	67	74
3XL	56	67	67	68	76

The electrical properties are retained, even after 50 industrial washes.

- Wash at maximum 40°C
- Ironing at maximum 110°C
- Do not bleach
- Do not dry clean
- Do not tumble dry
- Do not use fabric softeners

ESD High Visibility Vests



25€+ddv

98% Polyester and 2% carbon coated yarn

Weight: 120 g/m²

Static dissipative vest for use in ESD protected areas


Lightweight breathable and comfortable fit

Closes with 2 velcro fastening strips

2 „all around“ reflector strips

ESD-sign at left front side

Size	Yellow
M	STC80070701
	* fits XS to L
2XL	STC80070702
	* fits XL to 3XL



Resistivity point-point (Rp): 10⁶- 10⁷Ohms
Decay time: < 2 seconds
Conforms to current ESD Standards;
IEC61340-5-1 & ANSI/ESD S20.20

Size	A	B	C
M	62	14	64
2XL	68	16	70

The electrical properties are retained, even after 50 industrial washes.

- Wash at maximum 40°C
- Ironing at maximum 110°C
- Do not bleach
- Do not dry clean
- Do not tumble dry
- Do not use fabric softeners

