# / ARCGAN53

Arc Flash overgloves, APC 2, ATPV 53 cal/cm², ELIM 47 cal/cm²

See online technical sheet



## / Standards

- **EN ISO 11612:2015 (Flamme and heat)** : A1, A2, B2, C2, F2
- **EN1149 (Electrostatic property)** : EN1149-5
- **ATPV (cal/cm²)** : 53

## / Use

Protection against thermal effects of an electric arc. For one-off operations; Switching operations to disconnect or open the network, on electrical installations with incident thermal energy up to 53 cal/cm².
Long over gloves to protect forearms while allowing the insulated gloves worn underneath to stick out.
Fabric tested against Arc Flash.


## / Advantages

- Dual certification using 2 test methods: BOX TEST & OPEN ARC
- Double qualification according to ATPV and ELIM for OPEN ARC
- No metal parts (non-magnetic)
- Metal free

Document not contractually binding, errors and omissions excepted

## / Technical specifications

- **Main color :** Blue
- **Cloth composition table :** Tissu - 88% cotton nylon - bom-precision/3-layer, 340 gsm





Document not contractually binding, errors and omissions excepted

## / Measurement table

| Size | Measurement type | Value | Measurement unit |
|---|---|---|---|
| **M** | Tour de main au dessus du pouce | 20-22 | cm |
| **L** | Tour de main au dessus du pouce | 23-25 | cm |
| **XL** | Tour de main au dessus du pouce | 25-27 | cm |
| **2XL** | Tour de main au dessus du pouce | 28-30 | cm |

Document not contractually binding, errors and omissions excepted